

L Number	Hits	Search Text	DB	Time stamp
-	2	20020184485.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/24 13:03
-	10	self with encrypt\$5 with verif\$8.ab. and @ad<=19991220	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/20 15:48
-	65	(self\$sign\$5 or (self adj sign\$5)).ab. and @ad<=19991220	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/20 15:53
-	33	(self\$1sign\$5 or (self adj sign\$5)).ab. and @ad<=19991220	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/20 15:55
-	4	(embed\$5 or stor\$5) near5 (encrypt\$5 or encipher\$5) adj2 algorithm with message and @ad<=19991220	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/20 15:56
-	192	(embed\$5 or stor\$5) near5 algorithm with message and @ad<=19991220	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/20 16:01
-	96	document adj object adj model and @ad<=19991220	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/20 16:01
-	0	document adj object adj model with signature and @ad<=19991220	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/20 16:01
-	4	DOM with signature and @ad<=19991220	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/20 16:02
-	3	link near3 algorithm with format and @ad<=19991220	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/20 16:06
-	1007	algorithm with (transmit\$5 or send\$5) with (document or message) and @ad<=19991220	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/20 16:12
-	32	algorithm with (transmit\$5 or send\$5) near3 (document or message) with signature and @ad<=19991220	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/20 16:16
-	2130	(transmit\$5 or send\$5) near3 algorithm and @ad<=19991220	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/20 16:17
-	334	(transmit\$5 or send\$5) adj2 algorithm and @ad<=19991220	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/20 16:17
-	2	(transmit\$5 or send\$5) adj2 algorithm with signature and @ad<=19991220	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/20 16:18
-	1442	(transmit\$5 or send\$5) near2 algorithm and @ad<=19991220	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/20 16:18

-	153	(transmit\$5 or send\$5) near2 algorithm with (document or message) and @ad<=19991220	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/20 16:25
-	75	(transmit\$5 or send\$5) near2 algorithm near2 (document or message) and @ad<=19991220	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/24 10:10
-	64	dynamic\$5 near2 (encrypt\$5 or encipher\$5 or decrypt\$5 or decipher\$5).ab. and @ad<=19991220	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/24 10:12
-	2	document adj object with (encrypt\$5 or encipher\$5).ab. and @ad<=20001214	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/24 10:39
-	5	document adj object with (encrypt\$5 or encipher\$5) and @ad<=20001214	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/24 10:40
-	58	document adj object with (encrypt\$5 or encipher\$5 or secur\$5) and @ad<=20001214	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/24 10:48
-	2	(self\$encrypt\$5 or self adj encrypt\$6) with document and @ad<=20001214	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/24 10:49
-	10	(self\$encrypt\$5 or self adj encrypt\$6) and @ad<=20001214	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/24 10:49
-	422	(encrypt\$5 or encipher\$5) near2 (algorithm or program) near3 (attach\$5 or embed\$6 or includ\$5) and @ad<=19991220	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/24 13:04
-	609	(encrypt\$5 or encipher\$5) near2 (algorithm or program) near3 (attach\$5 or embed\$6 or stor\$5) and @ad<=19991220	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/24 13:06
-	489	(encrypt\$5 or encipher\$5) near2 (algorithm or program) near2 (attach\$5 or embed\$6 or stor\$5) and @ad<=19991220	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/24 13:05
-	481	(encrypt\$5 or encipher\$5) near2 (algorithm or program) near2 (embed\$6 or stor\$5) and @ad<=19991220	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/24 13:06
-	1	(encrypt\$5 or encipher\$5) near2 (algorithm or program) near3 (attach\$5 or embed\$6 or stor\$5) with web and @ad<=19991220	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/24 13:07
-	0	(encrypt\$5 or encipher\$5) near2 (algorithm or program) near3 (attach\$5 or embed\$6 or stor\$5) with internet and @ad<=19991220	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/24 13:07
-	79	(encrypt\$5 or encipher\$5) near2 (algorithm or program) with dynamic\$5 and @ad<=19991220	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/24 13:08
-	9	(document or message) with template with encrypt\$5 and @ad<=19991220	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/24 15:39

-	0	document adj object with template with field and @ad<=19991220	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/24 15:39
-	15	document adj object with template and @ad<=19991220	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/24 15:40
-	283	document with template with user and @ad<=19991220	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/24 15:40
-	19	document with template with user with definition and @ad<=19991220	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/24 15:44
-	678	electronic adj filing adj system and @ad<=19991220	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/24 15:48
-	1	electronic adj filing adj system with template and @ad<=19991220	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/24 15:50